


# Protecting Your High Traffic Vehicle Deck, Season After Season




## **Gaco**Flex®

### **GacoAutoDeck**

Polyurethane Waterproofing



800 331 0196  
gaco.com



**GacoAutoDeck** systems are fully adhered, seamless protective membranes which will withstand years of adverse weather and normal traffic abuse. Incorporating tough GacoFlex polyurethane coatings along with GacoShell granules, GacoAutoDeck systems are designed specifically for vehicular wear applications.

## Protects and Strengthens



### Specially Formulated to Provide the Longest Lasting Vehicular Traffic Deck

**GacoAutoDeck** is a plural component, custom-formulated system – all components share the same physical properties, creating a vertically integrated and chemically bonded monolithic membrane.

### GacoAutoDeck Systems Pass the Test for Integrity and Durability

From the tenacious adhesion of our sealer/primer system, to the amazing physical properties of GacoShell granules, to our fully-adhered, durable top coat – the GacoAutoDeck system components are designed to bond together with nearly identical elongation, tensile strength, and hardness to lock in protection from harsh weather, salt, oil and heavy traffic. They are tough yet flexible, so they can expand and contract along with normal structural movements.



### UV-Resistant GacoFlex U64

Where excellent weathering, toughness, good solvent resistance and fire retardance are needed, U64 is the product of choice. U64 is UV and hydrolytically stable. This user-friendly two component coating can be applied by squeegee or sprayer.

Property	ASTM Test	Value
Tensile Strength	D412	2100 ± 100 psi
Elongation	D412	400% ± 25%
Hardness	D2240	90 ± 5 Shore A
Tear Resistance	D624 (Die C)	375 ± 25 lb./in.

# GacoAutoDeck

Setting the Standard for Long-Wearing Performance



## Penetrating GacoFlex Primer/Sealer System – Adheres Flawlessly

Each formula is designed to provide an unbreakable bond to the substrate.

## GacoFlex Polyester Reinforcing Tape – Protects and Strengthens

Made from fusion bonded fibers, this seam tape bridges cracks and irregular surfaces to protect and strengthen stress points in your deck.

## The GacoShell Advantage




ALUMINUM OXIDE: *60,000 traffic cycles*



COURSE SAND: *45,000 traffic cycles*



SAND: *60,000 traffic cycles*



GACOSHELL AGGREGATE: *120,000 traffic cycles*


## GacoShell – Stays Intact Where Other Textures Fail

The unique shape and physical properties of these walnut shell granules cause them to wear evenly with the coating and remain embedded under pressure, thus keeping your system watertight long after other aggregates have “kicked out” of other decking membranes.

## Performing With Excellence

Every component in the Gaco fully-integrated system – sealer, primer, tape, granule and top coat – has been custom designed to perform an important function in the GacoAutoDeck system.





**Please refer to Gaco Western Specifications available at [gaco.com](http://gaco.com) for detailed installation instructions.**

**Gaco Western**

SINCE 1955

[gaco.com](http://gaco.com) | 800 331 0196

Gaco Western is a recognized leader in innovative silicone roofing systems, and offers best-of-class waterproofing and insulation solutions for a variety of commercial, industrial and residential applications. Founded in 1955, Gaco Western remains today a family-owned business with its roots in technology and product innovation.

MKGF6200 0915