

FM Approvals

GacoRoofFoam F2733

GacoFlex S21 Silicone Roof Coating

(S2100 White, S2122 Gray, S2129 Dark Gray, S2148 Tan, and S2158 Santa Fe)

Assembly #	Slope	Substrate	Surface Prep	Coverage (gal/sq)	Insulation	Thickness (in.)	Coating	Coverage (gal/sq)	Granules	Coverage (lb/sq)	I/Fire	E/Fire	Wind Uplift	Hail
391927-391928-0	1.75	Concrete			F2733	1.0 to 3.0	S21	1@3.00	None		NC	A	870	SH
392719-391928-0	1.75	Steel			F2733	1.0 to 6.0	S21	1@3.00	None		1	A	210	SH
392720-391928-0	1.75	Steel			F2733	1.0 to 6.0	S21	1@3.00	None		1	A	90	SH
392730-391928-0	1.75	Existing Multi-ply			F2733	1.0 to 3.0	S21	1@3.00	None		NC	A	90	SH
392727-391928-0	1.75	Existing BUR			F2733	1.0	S21	1@3.00	None		1	A	180	SH
392728-391928-0	1.75	Existing BUR			F2733	1.0	S21	1@3.00	None		1	A	180	SH
392729-391928-0	1.75	Existing BUR			F2733	1.0 to 3.0	S21	1@3.00	None		1	A	90	SH
392726-391928-0	1.75	Existing Metal			F2733	1.0	S21	1@3.00	None		1	A	180	SH
392721-391928-0	1.75	Existing IMP			F2733	1.0 to 3.0	S21	1@3.00	None		1	A	465	SH
393010-391928-0	1.75	Existing BUR			None		S21	1@3.00	None		1	A	180	SH
393011-391928-0	1.75	Existing Mod Bit			None		S21	1@3.00	None		1	A	165	SH
392731-391929-0	5.00	Existing Metal			None		S21	1@1.50	None		1	A	285	SH
Maintenance	2.00	Existing Single Ply	Gacowash, E5320	0.29			S21	1@2.00	None			A		
Maintenance	1.75	Existing BUR	Gacowash, A4207, E5320 (opt)	1.00, 0.29			S21	1@2.00	None			A		
Maintenance	1.75	Existing Mod Bit	Gacowash, A4207, E5320 (opt)	1.00, 0.29			S21	1@2.00	None			A		