



TGIK.R5663 Roofing Systems, Uplift Resistance

[Page Bottom](#)

Roofing Systems, Uplift Resistance

[See General Information for Roofing Systems, Uplift Resistance](#)

GACO WESTERN L L C

R5663

SUITE 202
200 W MERCER ST
SEATTLE, WA 98119 USA

SPRAY APPLIED FOAM AND COATING SYSTEMS

1. **Uplift Resistance:** 160 psf.

Deck: — Minimum 15/32 in. APA rated plywood sheathing or concrete.

Insulation: — Two component "Polyfoam 273" or "GacoRoof Foam 2733" spray applied foamed plastic insulation 1 in. thick minimum.

Roof Coatings: — Fluid applied base and top coating systems applied in accordance with specified combinations and Classified as Roofing Systems (TGFU).

2. **Uplift Resistance:** 165 psf.

Deck: — Steel, minimum 26 MSG.

Insulation: — Two component "Polyfoam 273" or "GacoRoof Foam 2733" spray applied foamed plastic insulation 1 in. thick minimum.

Roof Coatings: — Fluid applied base and top coating systems applied in accordance with specified combinations and Classified as Roofing Systems (TGFU).

[Last Updated](#) on 2014-06-12

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2019 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC".